

LDS6708 6U OpenVPX Intel-based single board computer with BuiltSECURE technologies

Secure processing for mission critical applications at the edge

- Balanced processing capability with minimal power consumption
- Robust data confidentiality/ integrity hardware protections
- Optimized for size, weight, power and cooling for versatility
- Key building block for developing C4ISR processing systems



Secure processing turns the unintelligible into uncompromised insight Mercury's SWaP-optimized OpenVPX single board computer provides C4I edge applications the on-platform security and processing capability needed to transform multifaceted data into actionable intel, while protecting key algorithms from bad actors.

The LDS6708 delivers best-in-class physical security protections and the reliability of Intel® Xeon E or Core i3/i5/i7 processing performance. Protected by proven Gen 4 BuiltSECURE™ system security engineering (SSE) IP that is built-in, not bolted on, it delivers secure processing performance that protects sensitive algorithms and data - even if the platform is compromised.

Maintain system-wide integrity with BuiltSECURE technologies deployed on over four generations of Intel microarchitectures. OpenVPX modules with BuiltSECURE can be configured with a variety of nation-state-level security features that mitigate reverse engineering. A hardware-based Root of Trust and cyber-resilient BIOS mitigate reduce security threats by reducing attack surfaces and minimizing boot devices. Built-in interfaces allow OpenVPX modules to participate in platform-wide security architectures. System security features enable customer Foreign Military Sales (FMS) or Direct Commercial Sales (DCS) program success. Detailed security capability offerings can be requested.

EDGE APPLICATIONS

C4ISR

Electronic Warfare

E0/IR

Image Processing

Radar Processing

Sensor Fusion

Signals Intelligence

CONTACT US

Built**SECURE**™



TECHNICAL SPECIFICATIONS

Processor (default)

Intel® Xeon® E-2276ME 6-core 2.8 GHz processor (Coffee Lake) with AVX2 and on-die Intel UHD GPU (other options available)

BuiltSECURE Embedded Framework

FPGA complex to support secure boot and application load options

Memory

32 GB DDR4 SDRAM with ECC

Fabric Interfaces

x8 Gen3 PCIe routed to P2 expansion plane
10GbE on P1 data plane (optional)

System Management

Via IPMC mgmt and data planes links on PO/P1

1/0

2x 10GBASE-KR or 1000BASE-BX
1x 1000BASE-BX to FPGA complex
2x 1000BASE-T
2x TIA-232/422/485 serial ports*
2x TIA-232 serial ports*
6x USB 3.0 and 4x USB 2.0 ports*
5x SATA ports*
1x DisplayPort
Multiple LVTTL GPI0

Mechanical

6U OpenVPX, 1.0" slot pitch VITA 65/48/46 compliant SOSA aligned

Options

MOTS/MOTS+ rugged packaging

VITA 48 cooling options: AC (48.1), CC (48.2), AFB (48.7), LFT (48.4)

Mercury's Processing Ecosystem

To build a secure, C4ISR processing subsystem, combine:

- 1x LDS6708 (single board computer)
- 1x SFM6126 (network switch) configured with 2x IOM-400 (I/O interface)
- 1x SMA-301 (system management)
- 2x SCM6010 (storage)
- 1x ruggedized chassis

Or, choose from our broad portfolio of interoperable hardware and software building blocks to design your own edge-ready processing subsystem

*depends on mechanical configuration

Partnering with



What is Secure Processing?


Mission-critical systems at the core of aerospace and defense applications are subject to the same security vulnerabilities found in other industries. However, the consequences of a security breach can be far worse. FPGA-based cryptography, root of security, secure boot, sensors, fingerprinting and physical protections against system infiltration are just a few ways we protect mission-critical systems.



mrcy.com 2



LDS6708 functional block diagram



mercury

Corporate Headquarters

50 Minuteman Road Andover, MA 01810 USA

- +1978.967.1401 tel
- +1866.627.6951 tel
- +1978.256.3599 fax

International Headquarters Mercury International

Avenue Eugène-Lance, 38 PO Box 584 CH-1212 Grand-Lancy 1 Geneva, Switzerland +41 22 884 51 00 tel

Learn more

Visit: mrcy.com









(0)



The Mercury Systems logo and the following are trademarks or registered trademarks of Mercury Systems, Inc.: Mercury Systems, Innovation That Matters, and BuiltSECURE. Other marks used herein may be trademarks or registered trademarks of their respective holders. Mercury believes this information is accurate as of its publication date and is not responsible for any inadvertent errors. The information contained herein is subject to change without notice.

© 2022 Mercury Systems, Inc. 8032.03E-1121-DS-LDS6708 | ER-21-1279

mrcy.com 3