

# High Power Broadband Noise Source NMA5300-B1M




Specifications are subject to change without notice

## Specifications

Parameter	Value
RF Frequency	2000 Hz to 18000 MHz
Noise Output	64.5 to 72 dB ENR
Noise Spectral Density (N <sub>0</sub> )	-107 dBm/Hz Min
Noise Power (N)	-5 dBm
Flatness	5 dB P-P Max
VSWR	2.0:1
Peak Factor	5:01
Bias Voltage	15 V
Supply Current	800 mA Max
Impedance	50 ohms

Parameter	Value
Construction	Coaxial
Package Type	M Package
Operating Temperature	0 to 70 °C
Storage Temperature	-40 to 95 °C

## Outline Drawing



All dimensions are in inches

## Need More Help? Need a Variant of This Product?

Contact Mercury's RF & Microwave engineering team at [rf.microwave@mrcy.com](mailto:rf.microwave@mrcy.com) or visit [www.mrcy.com/rf](http://www.mrcy.com/rf) for a detailed listing of RF and Microwave products.



Corporate Headquarters • 50 Minuteman Road • Andover, MA 01810 USA • (978) 967-1401 • (866) 627-6951 • Fax (978) 256-3599 • [www.mrcy.com](http://www.mrcy.com)